



Royal  Botania
Belgian outdoor lighting



OUTDOOR LIGHTING COLLECTION

At night, a property and its surroundings can take on a whole new look thanks to outdoor lighting. You can make your driveways and entrance paths more inviting to guests and less attractive to unwanted intruders. Parts of your buildings, walls, trees and flowerbeds can be highlighted in subtle or more dynamic ways.

WHY DO DISCERNING PEOPLE CHOOSE ROYAL BOTANIA?

There are three main reasons: quality, harmony and design. With the range of lighting options from Royal Botania, you can make your statement with an aesthetic that speaks for you. Choose from our modern and traditional designs, all of which are made from the finest and most durable materials, and incorporate the latest in lighting technology. Royal Botania premium outdoor lighting is beautiful, practical and flexible, with many of our reading lamps and highlighting pieces being just as suitable for indoor use too.

All our models are made from the highest quality materials. Whether aluminum, glass, stainless steel or teak, every material used to make Royal Botania products is sourced for its purity, durability and perfect aesthetics. But what makes some designs a cut above others? Is it to do with an eye for symmetry, scale and shapes? Is it to do with colors and curves and straight lines? Is it about simplicity and minimalism, and being influenced by the best of the past to create something new? It is very hard to explain why Royal Botania designs work so well, but when you see them, you just know they do.


THE CROWNING GLORY OF YOUR GARDEN.

INDEX

06	NON
08	NON-SIDE
10	TESLA
16	CLOCHE WALL
18	MOSO UP OR DOWN
20	MOSO GROUND
22	BEACON
26	BEAMY
34	WALLY
36	OMEGA
38	ZINK
40	PRATO
42	LIGHTHOUSE
46	RUSTY
50	IRONY
54	NORTHPOLE
58	RECTAN
60	ELLIPSE
66	NEPTUNE
68	Q-BIC
78	COBRA
82	SPIKY
90	BULLET
96	TWIN
102	LOG
108	PARKER
114	GLOW
118	3D
120	60T
122	CLUB
126	DOME
140	DOME GLASS VARIETIES
142	ACCESSORIES
144	MATERIALS
147	SYMBOLS



NON



TECHNICAL INFO

REFERENCE

NONR
NONO

DIMENSIONS

WIDTH 8,5 CM
DEPTH 19,5 CM
HEIGHT 19 CM

MATERIALS



ELECTRO & HAND POLISHED
STAINLESS STEEL




CUBE: CARMINE RED
OR ORGANIC OLIVE

LIGHT SOURCE

LED 2,2 W
POWER SUPPLY DRIVER INCLUDED
POWER IN 100-240V - 50/60Hz
LIGHT OUTPUT 390lm
COLOR TEMPERATURE 2700K
IP-RATING IP65

EXTRA

ADJUSTABLE ANGLE



MAINTENANCE

<http://www.royalbotania.com/maintenance>




NON-SIDE



TECHNICAL INFO

REFERENCE	NONS
DIMENSIONS	
WIDTH	9 CM
DEPTH	9 CM
HEIGHT	30 CM
MATERIALS	
	ELECTRO & HAND POLISHED STAINLESS STEEL
LIGHT SOURCE	
LED	2,2W
POWER SUPPLY	DRIVER INCLUDED
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65





MAINTENANCE
<http://www.royalbotania.com/maintenance>




TESLA WALL



TECHNICAL INFO

REFERENCE	TSLWA
DIMENSIONS	
WIDTH	15 CM
DEPTH	16 CM
HEIGHT	25 CM
MATERIALS	
 	POWDERCOATED ALUMINIUM + HANDMADE CLEAR GLASS
LIGHT SOURCE	
LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP-RATING	IP43



MAINTENANCE
<http://www.royalbotania.com/maintenance>




TESLA CEILING



TECHNICAL INFO

REFERENCE	TSLCA
DIMENSIONS	
WIDTH	15 CM
DEPTH	15 CM
HEIGHT	25 CM
MATERIALS	
 	POWDERCOATED ALUMINIUM + HANDMADE CLEAR GLASS
LIGHT SOURCE	
LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP-RATING	IP43



MAINTENANCE
<http://www.royalbotania.com/maintenance>





CLOCHE WALL




TECHNICAL INFO

REFERENCE CLOW

DIMENSIONS

WIDTH 12 CM
DEPTH 18,5 CM
HEIGHT 25 CM


MATERIALS



TEAK + HANDMADE
CLEAR GLASS

LIGHT SOURCE

LAMP DECORATIVE LED FILAMENT INCLUDED
POWER IN 230V / E27
LIGHT OUTPUT 300lm
COLOR TEMPERATURE 2200K
IP-RATING IP54



MAINTENANCE

<http://www.royalbotania.com/maintenance>





MOSO UP OR DOWN LIGHTER



TECHNICAL INFO

REFERENCE UP LIGHTER	MSOWUW
	MSOWUB
	MSOWUNB
REFERENCE DOWN LIGHTER	MSOWDW
	MSOWDB
	MSOWDNB

DIMENSIONS

WIDTH	10 CM
DEPTH	10 CM
HEIGHT	30 CM

MATERIALS



PORCELAIN WHITE / BLACK OR NIGHTBLUE


LIGHT SOURCE

LAMP	LED 3W
POWER SUPPLY	DRIVER INCLUDED
POWER IN	100-240V - 50/60Hz
LUMINOUS FLUX	450lm
IP-RATING	IP65
COLOR TEMPERATURE	2700K


EXTRA	ADJUSTABLE BEAM
-------	-----------------

MAINTENANCE

<http://www.royalbotania.com/maintenance>



MOSO GROUND



TECHNICAL INFO

REFERENCE	MSOGA
DIMENSIONS	
WIDTH	Ø 12 CM
DEPTH	50 CM
HEIGHT	43,5 CM
MATERIALS	
	POWDERCOATED ALUMINIUM BLACK
LIGHT SOURCE	
LED	4,3W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	700lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65
EXTRA	ADJUSTABLE BEAM

MAINTENANCE
<http://www.royalbotania.com/maintenance>









BEACON WALL



TECHNICAL INFO

REFERENCE	BCNWW BCNWB
DIMENSIONS	
WIDTH	10,5 CM
DEPTH	12,5 CM
HEIGHT	15,5 CM
MATERIALS	
 	TEAK + PORCELAIN WHITE
 	TEAK + PORCELAIN BLACK
LIGHT SOURCE	
LED	2,2W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	390lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65



MAINTENANCE
<http://www.royalbotania.com/maintenance>





BEACON



TECHNICAL INFO

REFERENCE

BCN140W
BCN140B

DIMENSIONS

WIDTH 10,5 CM
DEPTH 13,5 CM
HEIGHT 140 CM

MATERIALS



TEAK + PORCELAIN WHITE



TEAK + PORCELAIN BLACK


LIGHT SOURCE

LED 2,2W
POWER SUPPLY INCLUDED
POWER IN 100-240V - 50/60Hz
LIGHT OUTPUT 390lm
COLOR TEMPERATURE 2700K
IP-RATING IP65

INSTALLATION OPTION JUB5625

MAINTENANCE

<http://www.royalbotania.com/maintenance>






BEAMY WALL ANTIQUE BRASS



TECHNICAL INFO

REFERENCE	BMYW220
DIMENSIONS	
WIDTH	8 CM
DEPTH	8 CM
HEIGHT	11 CM
MATERIALS	
	ANTIQUE BRASS
RECOMMENDED LIGHT SOURCE	
LAMP	LED 5W - GU10 - FLAT OPTIC
POWER IN	220V
IP-RATING	IP 44



MAINTENANCE
<http://www.royalbotania.com/maintenance>





BEAMY WALL ZINC



TECHNICAL INFO

REFERENCE BMYZ220

DIMENSIONS


WIDTH 8 CM
DEPTH 8 CM
HEIGHT 11 CM

MATERIALS

 ZINC

RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 - FLAT OPTIC
POWER IN 220V
IP-RATING IP 44



MAINTENANCE
<http://www.royalbotania.com/maintenance>









BEAMY TEAK



TECHNICAL INFO

REFERENCE	BMY100220
	BMY100Z220
DIMENSIONS	
WIDTH	12 CM
DEPTH	13 CM
HEIGHT	100 CM
MATERIALS	
 	TEAK + ANTIQUE BRASS
 	TEAK + ZINC
RECOMMENDED LIGHT SOURCE	
LAMP	LED 5W - GU10 - FLAT OPTIC
POWER IN	220V
IP-RATING	IP 44
INSTALLATION OPTION	JUB5625



MAINTENANCE
<http://www.royalbotania.com/maintenance>




WALLY



TECHNICAL INFO

REFERENCE	WAL1D220
DIMENSIONS	
WIDTH	6 CM
DEPTH	7,5 CM
HEIGHT	10 CM
MATERIALS	
	ANTIQUE BRASS
RECOMMENDED LIGHT SOURCE	
LAMP	LED 5W - GU10 - FLAT OPTIC
POWER IN	220V
IP-RATING	IP 44



MAINTENANCE
<http://www.royalbotania.com/maintenance>





OMEGA



TECHNICAL INFO

REFERENCE UP & DOWN LIGHTER
REFERENCE DOWN LIGHTER

OMG2D220EP
OMG1D220EP

DIMENSIONS

WIDTH 8 CM
DEPTH 9,5 CM
HEIGHT 8 CM
14,5 CM



MATERIALS



ELECTRO POLISHED
STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 - FLAT OPTIC
POWER IN 220V
IP-RATING IP 55



MAINTENANCE


<http://www.royalbotania.com/maintenance>




ZINK



TECHNICAL INFO

REFERENCE	ZINKW
DIMENSIONS	
WIDTH	12 CM
DEPTH	7 CM
HEIGHT	12 CM
MATERIALS	
	ZINC
LIGHT SOURCE	
LED	5W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	250lm
IP-RATING	IP55



MAINTENANCE

<http://www.royalbotania.com/maintenance>





PRATO



TECHNICAL INFO

REFERENCE

PRTWS
PRTWA
PRTWW

DIMENSIONS

WIDTH Ø 25 CM
DEPTH 34 CM
HEIGHT 16 CM


MATERIALS



ALUMINIUM POWDERCOATED
SAND / BLACK OR WHITE

LIGHT SOURCE

LED 5,8W
POWER SUPPLY INCLUDED
POWER IN 100-240V - 50/60Hz
LIGHT OUTPUT 540lm
COLOR TEMPERATURE 3000K
IP-RATING IP65



MAINTENANCE

<http://www.royalbotania.com/maintenance>






LIGHTHOUSE 40CM



TECHNICAL INFO

REFERENCE	LIG40 LIG40ST
DIMENSIONS	
WIDTH	10 CM
DEPTH	10 CM
HEIGHT	40 CM
MATERIALS	
 	TEAK + BRASS
 	GRANITE + STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	E27 LED - FLUO MAX. 11W
POWER IN	220V
IP-RATING	IP55
INSTALLATION OPTION	CODE: JUB5625
LED FITTING OPTION	CODE: BINLS OR BINLR



MAINTENANCE

<http://www.royalbotania.com/maintenance>





LIGHTHOUSE 70CM



TECHNICAL INFO

REFERENCE LIG70
LIG70ST


DIMENSIONS

WIDTH 10 CM
DEPTH 10 CM
HEIGHT 70 CM

MATERIALS



TEAK + BRASS



GRANITE + STAINLESS STEEL


RECOMMENDED LIGHT SOURCE

LAMP E27 LED - FLUO MAX. 11W
POWER IN 220V
IP-RATING IP55

INSTALLATION OPTION CODE: JUB5625
LED FITTING OPTION CODE: BINLS OR BINLR

MAINTENANCE

<http://www.royalbotania.com/maintenance>



RUSTY 40 CM



TECHNICAL INFO

REFERENCE RUS40

DIMENSIONS

WIDTH Ø 13 CM
DEPTH Ø 19 CM
HEIGHT 40 CM


MATERIALS

 CAST IRON

RECOMMENDED LIGHT SOURCE

LAMP E27 LED - FLUO MAX. 11W
POWER IN 220V
IP-RATING IP55

INSTALLATION OPTION CODE: JUB5625
LED FITTING OPTION CODE: BINLS OR BINLR



MAINTENANCE

<http://www.royalbotania.com/maintenance>



RUSTY 70 CM



TECHNICAL INFO

REFERENCE RUS70

DIMENSIONS

WIDTH Ø 13 CM
DEPTH Ø 19 CM
HEIGHT 70 CM

MATERIALS



CAST IRON


RECOMMENDED LIGHT SOURCE

LAMP E27 LED - FLUO MAX. 11W
POWER IN 220V
IP-RATING IP55

INSTALLATION OPTION CODE: JUB5625
LED FITTING OPTION CODE: BINLS OR BINLR

MAINTENANCE

<http://www.royalbotania.com/maintenance>



IRONY 40 CM



TECHNICAL INFO

REFERENCE IRN40

DIMENSIONS

WIDTH 20 CM
DEPTH 10 CM
HEIGHT 40 CM

MATERIALS




CAST IRON

RECOMMENDED LIGHT SOURCE

LAMP 2x E27 LED - FLUO MAX. 11W
POWER IN 220V
IP-RATING IP55

CONNECTION BOX INCLUDED
LED FITTING OPTION CODE: BINLS OR BINLR




MAINTENANCE

<http://www.royalbotania.com/maintenance>



IRONY 70 CM



TECHNICAL INFO

REFERENCE IRN70

DIMENSIONS

WIDTH 20 CM
DEPTH 10 CM
HEIGHT 70 CM

MATERIALS

 CAST IRON

RECOMMENDED LIGHT SOURCE

LAMP 2x E27 LED - FLUO MAX. 11W
POWER IN 220V
IP-RATING IP55

CONNECTION BOX INCLUDED
LED FITTING OPTION CODE: BINLS OR BINLR

MAINTENANCE

<http://www.royalbotania.com/maintenance>






NORTHPOLE 40 CM



TECHNICAL INFO

REFERENCE	NOR40 NOR40ST
DIMENSIONS	
WIDTH	Ø 10 CM
HEIGHT	40 CM
MATERIALS	
 	TEAK + STAINLESS STEEL
 	GRANITE + STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	E27 LED - FLUO MAX. 11W
POWER IN	220V
IP-RATING	IP55
INSTALLATION OPTION	CODE: JUB5625
LED FITTING OPTION	CODE: BINLS OR BINLR



MAINTENANCE
<http://www.royalbotania.com/maintenance>





NORTHPOLE 70 CM



TECHNICAL INFO

REFERENCE

NOR70
NOR70ST

DIMENSIONS


WIDTH
HEIGHT

Ø 10 CM
70 CM

MATERIALS



TEAK + STAINLESS STEEL



GRANITE + STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

LAMP
POWER IN
IP-RATING


E27 LED - FLUO MAX. 11W
220V
IP55

INSTALLATION OPTION
LED FITTING OPTION

CODE: JUB5625
CODE: BINLS OR BINLR

MAINTENANCE

<http://www.royalbotania.com/maintenance>





RECTAN 70 CM



TECHNICAL INFO


REFERENCE

REC40
REC70
REC40ST
REC70ST

DIMENSIONS

WIDTH 14,5 CM
DEPTH 9 CM
HEIGHT 40 CM
70 CM

MATERIALS



TEAK + STAINLESS STEEL

GRANITE + STAINLESS STEEL


RECOMMENDED LIGHT SOURCE

LAMP E27 LED - FLUO MAX. 11W
POWER IN 220V
IP-RATING IP55

INSTALLATION OPTION CODE: JUB5625
LED FITTING OPTION CODE: BINLS OR BINLR

MAINTENANCE

<http://www.royalbotania.com/maintenance>







ELLIPSE 40 CM



TECHNICAL INFO

REFERENCE	ELL40
	ELL40ST
DIMENSIONS	
WIDTH	17 CM
DEPTH	9 CM
HEIGHT	40 CM
MATERIALS	
 	TEAK + STAINLESS STEEL
 	GRANITE + STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	E27 LED - FLUO MAX. 11W
POWER IN	220V
IP-RATING	IP55
INSTALLATION OPTION	CODE: JUB5625
FITTING OPTION	CODE: BINLS OR BINLR



MAINTENANCE
<http://www.royalbotania.com/maintenance>







ELLIPSE 70 CM



TECHNICAL INFO

REFERENCE	ELL70 ELL70ST
DIMENSIONS	
WIDTH	17 CM
DEPTH	9 CM
HEIGHT	70 CM
MATERIALS	
 	TEAK + STAINLESS STEEL
 	GRANITE + STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	E27 LED - FLUO MAX. 11W
POWER IN	220V
IP-RATING	IP55
INSTALLATION OPTION	CODE: JUB5625
FITTING OPTION	CODE: BINLS OR BINLR





MAINTENANCE
<http://www.royalbotania.com/maintenance>




ELLIPSE WALL



TECHNICAL INFO

REFERENCE	ELLW
DIMENSIONS	
WIDTH	8 CM
DEPTH	12 CM
HEIGHT	42 CM
MATERIALS	
 	TEAK + STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	E27 LED - FLUO MAX. 11W
POWER IN	220V
IP-RATING	IP55
LED FITTING OPTION	CODE: BINLS OR BINLR



MAINTENANCE
<http://www.royalbotania.com/maintenance>






NEPTUNE



TECHNICAL INFO

REFERENCE	NPT60 NPT100
DIMENSIONS	
WIDTH	Ø 17 CM
DEPTH	Ø 17 CM
HEIGHT	60 CM 100 CM
MATERIALS	
	STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	3x E27 LED - FLUO MAX. 11W
POWER IN	220V
IP-RATING	IP55
INSTALLATION OPTION	CODE: JUB5625
FITTING OPTION	CODE: BINLS OR BINLR



MAINTENANCE

<http://www.royalbotania.com/maintenance>





Q-BIC




TECHNICAL INFO

REFERENCE Q-BIC 30CM	QB301D220EP
	QB302D220EP
REFERENCE Q-BIC 60CM	QB601D220EP
	QB602D220EP

DIMENSIONS

WIDTH	12,5 - 20 CM
DEPTH	7,5 CM
HEIGHT	30 CM
	60 CM



MATERIALS



TEAK + ELECTRO POLISHED
STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

LAMP	LED 5W - GU10 - FLAT OPTIC
POWER IN	220V
IP-RATING	IP55
EXTRA INSTALLATION OPTION	ADJUSTABLE ANGLE: 270° JUB5625



MAINTENANCE

<http://www.royalbotania.com/maintenance>





Q-BIC WALL



TECHNICAL INFO

REFERENCE

QBW1D220EP

DIMENSIONS

WIDTH 7,5 CM
DEPTH 12,5 CM
HEIGHT 10 CM


MATERIALS



TEAK + ELECTRO POLISHED
STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 - FLAT OPTIC
POWER IN 220V
IP-RATING IP55



MAINTENANCE

<http://www.royalbotania.com/maintenance>





Q-BIC WALL



TECHNICAL INFO

REFERENCE

QBW2D220EP

DIMENSIONS

WIDTH 7,5 CM
DEPTH 10 CM
HEIGHT 20 CM


MATERIALS



TEAK + ELECTRO POLISHED
STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 - FLAT OPTIC
POWER IN 220V
IP-RATING IP55



MAINTENANCE

<http://www.royalbotania.com/maintenance>





Q-BIC FLOOR



TECHNICAL INFO


REFERENCE

QBG2D220EP
QBG1D220EP

DIMENSIONS

WIDTH 12,5 - 20 CM
DEPTH 7,5 CM
HEIGHT 10 CM

MATERIALS




TEAK + ELECTRO POLISHED
STAINLESS STEEL

RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 - FLAT OPTIC
POWER IN 220V
IP-RATING IP55

EXTRAS ADJUSTABLE ANGLE: 270°



MAINTENANCE

<http://www.royalbotania.com/maintenance>




Q-BIC WALL OR FLOOR



TECHNICAL INFO

REFERENCE	QBWVD220EP
DIMENSIONS	
WIDTH	9 CM
DEPTH	11 CM
HEIGHT	7,5 CM
MATERIALS	
	TEAK + ELECTRO POLISHED STAINLESS STEEL
RECOMMENDED LIGHT SOURCE	
LAMP	LED 5W - GU10 - FLAT OPTIC
POWER IN	220V
IP-RATING	IP55
EXTRAS	ADJUSTABLE ANGLE: 90°



MAINTENANCE

<http://www.royalbotania.com/maintenance>



COBRA



TECHNICAL INFO

REFERENCE CBR605

DIMENSIONS

WIDTH 13 CM
DEPTH 19 CM
HEIGHT 60 CM

MATERIALS



STAINLESS STEEL


LIGHT SOURCE

LED 3,5W
POWER SUPPLY INCLUDED
POWER IN 100-240V - 50/60Hz
LIGHT OUTPUT 350lm
COLOR TEMPERATURE 2700K
IP-RATING IP 55

INSTALLATION OPTION JUB5625

MAINTENANCE


<http://www.royalbotania.com/maintenance>




COBRA WALL



TECHNICAL INFO

REFERENCE	CBRW5
DIMENSIONS	
WIDTH	13 CM
DEPTH	19 CM
HEIGHT	12,5 CM
MATERIALS	
	STAINLESS STEEL
LIGHT SOURCE	
LED	3,5W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	350lm
COLOR TEMPERATURE	2700K
IP-RATING	IP 55



MAINTENANCE
<http://www.royalbotania.com/maintenance>




SPIKY GROUND



TECHNICAL INFO

REFERENCE	SPKG
DIMENSIONS	
PIN	Ø 1,3 CM
DEPTH	10 CM
HEIGHT	40 CM
MATERIALS	
	ANTIQUE BRASS
LIGHT SOURCE	
LED	2,2W
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2700K
IP-RATING	IP 65
REQUIRED	LEDCONKIT = DRI1 + JUB5625 + JUB5630 OR DRI1 = IP68 DRIVER




MAINTENANCE

<http://www.royalbotania.com/maintenance>



SPIKY



TECHNICAL INFO

REFERENCE	SPK
DIMENSIONS	
PIN	Ø 1,3 CM
DEPTH	10 CM
HEIGHT	100 CM
MATERIALS	
	ANTIQUE BRASS
LIGHT SOURCE	
LED	2,2W
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2700K
IP-RATING	IP 65
REQUIRED	LEDCONKIT = DRI1 + JUB5625 + JUB5630 OR DRI1 = IP68 DRIVER

MAINTENANCE

<http://www.royalbotania.com/maintenance>



SPIKY LOUNGE



TECHNICAL INFO

REFERENCE SPL

DIMENSIONS

WIDTH 36 CM
DEPTH ± 36 CM
HEIGHT ± 100 CM

MATERIALS



ANTIQUE BRASS


LIGHT SOURCE

LED 2,2W
PWER SUPPLY INCLUDED
POWER IN 100-240V - 50/60Hz
LIGHT OUTPUT 300lm
COLOR TEMPERATURE 2700K
IP-RATING IP 65

EXTRA ADJUSTABLE HEAD: 270°

MAINTENANCE

<http://www.royalbotania.com/maintenance>








BULLET GROUND



TECHNICAL INFO

REFERENCE	BLTG220
DIMENSIONS	
WIDTH	7 CM
DEPTH	11 CM
HEIGHT	± 40 CM
MATERIALS	
	ZINC
RECOMMENDED LIGHT SOURCE	
LAMP	LED 5W - GU10 - FLAT OPTIC
POWER IN	220V
IP-RATING	IP55
INSTALLATION OPTION	JUB5625
EXTRA	ADJUSTABLE HEAD



MAINTENANCE
<http://www.royalbotania.com/maintenance>





BULLET



TECHNICAL INFO

REFERENCE BLT220

DIMENSIONS

WIDTH 7 CM
DEPTH 11 CM
HEIGHT ± 110 CM

MATERIALS



ZINC


RECOMMENDED LIGHT SOURCE

LAMP LED 5W - GU10 - FLAT OPTIC
POWER IN 220V
IP-RATING IP55

INSTALLATION OPTION JUB5625
EXTRA ADJUSTABLE HEAD

MAINTENANCE

<http://www.royalbotania.com/maintenance>




BULLET ANTIQUE BRASS



TECHNICAL INFO

REFERENCE	BLTLAN
DIMENSIONS	
WIDTH	7 CM
DEPTH	11 CM
HEIGHT	± 110 CM
MATERIALS	
	ANTIQUE BRASS
LIGHT SOURCE	
LED	3W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60Hz
LIGHT OUTPUT	500lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65
EXTRA	ADJUSTABLE HEAD



MAINTENANCE
<http://www.royalbotania.com/maintenance>





TWIN



TECHNICAL INFO

REFERENCE

TWIN70W
TWIN70G

DIMENSIONS

WIDTH 6 CM
DEPTH 17 CM
HEIGHT 70 CM


MATERIALS



CORIAN WHITE OR GREY

LIGHT SOURCE


LED 3,5W
POWER SUPPLY INCLUDED
POWER IN 100-240 - 50/60Hz
LIGHT OUTPUT 350lm
IP-RATING IP55



MAINTENANCE

<http://www.royalbotania.com/maintenance>








TWIN WALL



TECHNICAL INFO


REFERENCE	TWINWW TWINWG
DIMENSIONS	
WIDTH	5 CM
DEPTH	17 CM
HEIGHT	6,5 CM
MATERIALS	
 	CORIAN WHITE OR GREY
LIGHT SOURCE	
LED	3,5W
POWER SUPPLY	INCLUDED
POWER IN	100-240 - 50/60Hz
LIGHT OUTPUT	350lm
IP-RATING	IP55



MAINTENANCE

<http://www.royalbotania.com/maintenance>





TWIN UP OR DOWN



TECHNICAL INFO

REFERENCE TWINUW
TWINUG

DIMENSIONS


WIDTH 17 CM
DEPTH 7 CM
HEIGHT 6,5 CM

MATERIALS

 CORIAN WHITE OR GREY

LIGHT SOURCE

LED 3,5W
POWER SUPPLY INCLUDED
POWER IN 100-240 - 50/60Hz
LIGHT OUTPUT 350lm
IP-RATING IP55



MAINTENANCE

<http://www.royalbotania.com/maintenance>




LOG



TECHNICAL INFO

REFERENCE	LOG70
DIMENSIONS	
WIDTH	16 CM
DEPTH	5 CM
HEIGHT	70 CM
MATERIALS	
 	TEAK + STAINLESS STEEL
LIGHT SOURCE	
POWERLED	3,5W
POWER SUPPLY	INCLUDED
POWER IN	100-240 - 50/60Hz
LIGHT OUTPUT	350lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65
EXTRA INSTALLATION OPTION	ADJUSTABLE ANGLE: 120° JUB5625




MAINTENANCE

<http://www.royalbotania.com/maintenance>



LOG WALL



TECHNICAL INFO

REFERENCE	LOGW
DIMENSIONS	
WIDTH	14 CM
DEPTH	10 CM
HEIGHT	7 CM
MATERIALS	
 	TEAK + STAINLESS STEEL
LIGHT SOURCE	
POWERLED	3,5W
POWER SUPPLY	INCLUDED
POWER IN	100-240 - 50/60Hz
LIGHT OUTPUT	350lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65
EXTRA	ADJUSTABLE ANGLE: 90°

MAINTENANCE
<http://www.royalbotania.com/maintenance>





PARKER WALL



TECHNICAL INFO

REFERENCE PRKW

DIMENSIONS

WIDTH Ø 10 - 16 CM
DEPTH 25 CM
HEIGHT 42 CM


MATERIALS



ANTIQUE BRASS

LIGHT SOURCE

LED 5,8W
POWER SUPPLY INCLUDED
POWER IN 100-240V - 50/60HZ
LIGHT OUTPUT 540lm
COLOR TEMPERATURE 3000K
IP-RATING IP65





MAINTENANCE

<http://www.royalbotania.com/maintenance>



PARKER FLOOD





TECHNICAL INFO	
REFERENCE	PRKF
DIMENSIONS	
WIDTH	Ø 10 - 16 CM
DEPTH	22 CM
HEIGHT	230 CM
GRANITE BASE	Ø 40 CM
MATERIALS	
	ANTIQUE BRASS
LIGHT SOURCE	
LED	8,3W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60HZ
LIGHT OUTPUT	720lm
COLOR TEMPERATURE	3000K
IP-RATING	IP65
EXTRAS	GRANITE BASE INCLUDED


MAINTENANCE
<http://www.royalbotania.com/maintenance>



PARKER PATH




TECHNICAL INFO

REFERENCE	PRKP
DIMENSIONS	
WIDTH	Ø 10 - 16 CM
DEPTH	22 CM
HEIGHT	230 CM
MATERIALS	
	ANTIQUE BRASS
LIGHT SOURCE	
LED	8,3W
POWER SUPPLY	INCLUDED
POWER IN	100-240V - 50/60HZ
LIGHT OUTPUT	720lm
COLOR TEMPERATURE	3000K
IP-RATING	IP65
EXTRAS	SPIKE INCLUDED




MAINTENANCE
<http://www.royalbotania.com/maintenance>



GLOW



TECHNICAL INFO

REFERENCE	GLW185WR
DIMENSIONS	
WIDTH	Ø 33 - 44 CM
HEIGHT	186 CM
BASE	55 CM
MATERIALS	
 	POWDERCOATED ALUMINIUM WHITE + TEAK
	LAMPSHADE: POLYETHYLENE


LIGHT SOURCE	
LED	4,3W
POWER IN	100-240V - 50/60Hz
LUMINOUS FLUX	700lm
COLOR TEMPERATURE	2700K
IP-RATING	IP65

MAINTENANCE
<http://www.royalbotania.com/maintenance>





3D



TECHNICAL INFO

REFERENCE 3D

DIMENSIONS

WIDTH Ø 82 CM
HEIGHT ± 200 CM
BASE 75 CM

MATERIALS



POWDERCOATED ALUMINIUM
WHITE + FABRIC

RECOMMENDED LIGHT SOURCE

LAMP LED - FLUO E27 MAX. 11W
POWER IN 220V
IP-RATING IP55

EXTRAS GRANITE BALLAST 8Kg Ø40CM
CODE: 033DBALLAST

MAINTENANCE

<http://www.royalbotania.com/maintenance>



60T


TECHNICAL INFO

REFERENCE 60T

DIMENSIONS

WIDTH 235 CM
HEIGHT 230 CM
GRANITE BASE Ø 55 CM

MATERIALS



ELECTRO POLISHED
STAINLESS STEEL +
GRANITE BASE



LAMPSHADE: POLYETHYLENE


RECOMMENDED LIGHT SOURCE

LAMP E27 LED - FLUO GLOBE MAX.
20W
POWER IN 220V
IP-RATING IP43

TOTAL WEIGHT 64,5 KG
ROTATABILITY 90°

MAINTENANCE

<http://www.royalbotania.com/maintenance>





CLUB




TECHNICAL INFO

REFERENCE BEIGE SHADE CLB
REFERENCE AMBER SHADE CLBAM

DIMENSIONS

WIDTH Ø 70 CM
 DEPTH Ø 70 CM
 HEIGHT 185 CM

MATERIALS



TEAK + ELECTRO POLISHED
 STAINLESS STEEL

LAMPSHADE: BEIGE OR AMBER

RECOMMENDED LIGHT SOURCE - BEIGE SHADE



LAMP LED - FLUO E27 MAX. 11W
 POWER IN 220V
 IP-RATING IP55

LIGHT SOURCE - AMBER SHADE

LED 4,3W
 POWER SUPPLY INCLUDED
 POWER IN 100-240V - 50/60Hz
 LIGHT OUTPUT 700lm
 COLOR TEMPERATURE 2700K
 IP-RATING IP65

MAINTENANCE

<http://www.royalbotania.com/maintenance>





DOME WALL



TECHNICAL INFO

REFERENCE BLACK FRAME	DOMEWBCL
	DOMEWBSM
	DOMEWBAM
REFERENCE WHITE FRAME	DOMEWWCL
	DOMEWWSM
	DOMEWWAM

DIMENSIONS

WIDTH	Ø 15 CM
DEPTH	20 CM
HEIGHT	72 CM

MATERIALS


<div> <div></div> <div></div> </div>	POWDERCOATED ALUMINIUM WHITE OR BLACK
<div> <div></div> <div></div> <div></div> </div>	HANDMADE GLASS CLEAR / AMBER OR SMOKE

LIGHT SOURCE


LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP RATING	IP 43

MAINTENANCE

<http://www.royalbotania.com/maintenance>



DOME CEILING








TECHNICAL INFO	SHORT	LONG
REFERENCE BLACK FRAME	DOMECSBCL DOMECSBSM DOMECSBAM	DOMECLBCL DOMECLBSM DOMECLBAM
REFERENCE WHITE FRAME	DOMECSWCL DOMECSWSM DOMECSWAM	DOMECLWCL DOMECLWSM DOMECLWAM

DIMENSIONS

WIDTH	30 CM
DEPTH	30 CM
HEIGHT	44 CM + 49-84 CM - SHORT 44 CM + 74-134CM - LONG

MATERIALS

 	POWDERCOATED ALUMINIUM WHITE OR BLACK
  	HANDMADE GLASS CLEAR / AMBER OR SMOKE

LIGHT SOURCE


LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP RATING	IP 43

MAINTENANCE

<http://www.royalbotania.com/maintenance>



DOME FLOOR



TECHNICAL INFO

REFERENCE BLACK FRAME	DOMEFBCL
	DOMEFBSM
	DOMEFBAM
REFERENCE WHITE FRAME	DOMEFWCL
	DOMEFWSM
	DOMEFWAM

DIMENSIONS

WIDTH	33 CM
DEPTH	23 CM
HEIGHT	171 CM

MATERIALS

<div> <div></div> <div></div> </div>	POWDERCOATED ALUMINIUM WHITE OR BLACK
<div> <div></div> <div></div> <div></div> </div>	HANDMADE GLASS CLEAR / AMBER OR SMOKE


LIGHT SOURCE

LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP RATING	IP 43





DOME MOVE



TECHNICAL INFO

REFERENCE BLACK FRAME	DOMEMBCL
	DOMEMBSM
	DOMEMBAM
REFERENCE WHITE FRAME	DOMEMWCL
	DOMEMWSM
	DOMEMWAM

DIMENSIONS

WIDTH	30 CM
DEPTH	30 CM
HEIGHT	110 CM

MATERIALS

<div> <div></div> <div></div> </div>	POWDERCOATED ALUMINIUM WHITE OR BLACK
<div> <div></div> <div></div> <div></div> </div>	HANDMADE GLASS CLEAR / AMBER OR SMOKE

LIGHT SOURCE

LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP RATING	IP 43

MAINTENANCE

<http://www.royalbotania.com/maintenance>



DOME SMALL








TECHNICAL INFO

REFERENCE BLACK FRAME	DOMESBCL
	DOMESBSM
	DOMESBAM
REFERENCE WHITE FRAME	DOMESWCL
	DOMESWSM
	DOMESWAM

DIMENSIONS

WIDTH	30 CM
DEPTH	30 CM
HEIGHT	65 CM

MATERIALS


		POWDERCOATED ALUMINIUM WHITE OR BLACK
		
		HANDMADE GLASS CLEAR / AMBER OR SMOKE

LIGHT SOURCE

LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP RATING	IP 43

MAINTENANCE

<http://www.royalbotania.com/maintenance>



DOME GATE








TECHNICAL INFO

REFERENCE BLACK FRAME	DOMEGTBCL
	DOMEGTBSM
	DOMEGTBAM
REFERENCE WHITE FRAME	DOMEGTWCL
	DOMEGTWSM
	DOMEGTWAM

DIMENSIONS

WIDTH	30 CM
DEPTH	30 CM
HEIGHT	60 CM

MATERIALS


		POWDERCOATED ALUMINIUM WHITE OR BLACK
		
		HANDMADE GLASS CLEAR / AMBER OR SMOKE

LIGHT SOURCE

LAMP	DECORATIVE LED FILAMENT INCLUDED
POWER IN	220V / E27
LIGHT OUTPUT	300lm
COLOR TEMPERATURE	2200K
IP RATING	IP 43

MAINTENANCE

<http://www.royalbotania.com/maintenance>






DOME GLASS VARIETIES



FLOOR / WALL

03DOMG01	CLEAR		HAND MADE GLASS
03DOMG01SM	SMOKE		HAND MADE GLASS
03DOMG01AM	AMBER		HAND MADE GLASS



MOVE / CEILING / SMALL / GATE

03DOMG02	CLEAR		HAND MADE GLASS
03DOMG02SM	SMOKE		HAND MADE GLASS
03DOMG02AM	AMBER		HAND MADE GLASS




ACCESSORIES


LIGB	STAINLESS STEEL SPIKE: LIGHTHOUSE / NORTHPOLE / RECTAN / ELLIPSE / IRONY
LBN	STAINLESS STEEL SPIKE: COBRA / Q-BIC 30/60 / TWIN / MOSO GROUND / NON-SIDE
LBQ	STAINLESS STEEL SPIKE: Q-BIC GROUND / Q-BIC WALL / NON
LBNPT	STAINLESS STEEL SPIKE: NEPTUNE
LBD	GALVANISED STEEL SPIKE: DOME MOVE / DOME FLOOR
LBL	STAINLESS STEEL SPIKE: LOG
LBR	GALVANISED STEEL SPIKE: RUSTY
BL360	PERFORATED SCREEN 360° STAINLESS STEEL
BL180	PERFORATED SCREEN 180° STAINLESS STEEL
BINLS	LED INSERT FOR NEW OR REPLACEMENT FIXTURES LED 8,5W-470lm 3000K 230V 50Hz
BINLR	LED INSERT FOR NEW OR REPLACEMENT FIXTURES WITH VARIOUS LIGHTOUTPUT: LED 2,2W = 390lm UP TO 4,3W = 700lm - 2700K (For more info: Please contact you Royal Botania Dealer)
BIN2	E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W CLUB / LIGHTHOUSE / ELLIPSE / RECTAN / NORTHPOLE / IRONY / RUSTY / NEPTUNE




LEDCONKIT = DRI1 + JUB5625 + JUB5630



DRI1 IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W



JUB5625 CONNCECTION BOX IP68 - 3X4 mm²



JUB5630 JUNCTION BOX IP68 - 2X1,5 mm²







OPTIONAL BUBLES FOR TESLA / CLOCHE AND DOME COLLECTION








LTLED03WE27 LED FILAMENT BULB 3W - 220V/E27 - 2200K - 300lm



MATERIALS


<div>STAINLESS STEEL</div> <div></div>	<p>Stainless steel, better known as Inox. is an iron al-loy in which the resistance to corrosion is in-creased through the addition of chrome and nickel. The prin-ciple involves the protection of the outside surface by chromium oxide and nickel oxide molecules. These molecules are much bigger than the un-derlying iron atoms, which prevents the latter from combining with oxygen to form iron oxides – better known as rust. This passive layer protects the pre-cious steel and is self-renewing. In order to obtain a chromium-and nickel oxide skin that is as pure and homogeneous as possible, and therefore optimally corrosion-resistant, the standard Royal Botania frames are etched and rinsed with demineralised water after which a passive layer is formed by natu-ral oxidation. Chlorine is the biggest enemy of stain-less steel and can cause a form of corrosion known as “pitting”. Con-tamination by chlorides or rusting particles can penetrate the passive layer and cause corrosion in certain places. This is especially impor-tant when near the sea, because of course sea salt is sodi-um chloride. It is necessary to give the metal as smooth a surface as possible in order to give it an even greater resistance to corrosion. This is be-cause if the surface is smooth, there is less chance for contamination to take hold on the metal surface, thus reducing possible corrosion.</p>
<div>GLASS</div> <div></div>	<p>Royal Botania offers 3 varieties of coloured glass: clear, smoke and amber. All three are handmade and highly suitable for outdoor use.</p>
<div>ALUMINIUM POWDERCOATED</div> <div></div>	<p>Aluminium is a non-ferrous metal, which com-bines great mechanical rigidity with light weight; this makes it especially suitable for making outdoor lighting. If treated correctly it has a good resistance to corrosion. One of the treatments is powder coating. After a chemical pre-treatment an epoxy powder is applied electrostatically and baked. The advantages are easy cleaning and endless colour variations. Powdercoating is a type of coating that is applied as a free flowing, dry powder. The coating is typically applied electrostatically and is then cured under heat to allow it to flow and form a “skin”. Powdercoating provides excellent protection against corrosion.</p>
<div>TEAK</div> <div></div>	<p>Because Royal Botania makes no concessions when it comes to quality, we only use carefully selected, fully grown teak, which is harvested in accordance with the strictest environmental stan-dards. The wood comes from the Tectona Grandis, a tree that can grow to a height of 45m under the right con-ditions with a trunk diameter of up to 2.4 metres. The reason for its generally commended durability is the high levels of natural oils it contains. The result-ing minimal moisture absorption prevents warping which gives it great stability. Moreover, the wood is extremely resistant to the in-fluences of chemicals, as well as against attacks by vermin. Because of these qualities, combined with its exceptionally-beautiful colour and structure, teak is classed as the most premium wood on our precious planet.</p>

<div>(ANTIQUE) BRASS</div> <div></div>	<p>Brass is an alloy of copper and zinc. The darker finish (antique brass) is achieved by dipping the brass in acid, which gives it an antique look.</p>
<div>ZINC</div> <div></div>	<p>The zinc alloy used to manufacture Royal Botania lighting will look white in colour when first installed in the landscape. This is due to the acidification of the zinc oxide. At a later stage, this white deposit will wash off and will turn into a lovely dark-grey patina.</p>
<div>PORCELAIN</div> <div></div>	<p>Porcelain, refined and produced with modern and sophisticated techniques remains stable in all temperatures. It's extremely hard, wear-resistant and color- fast. This sustainable and lifelong porcelain is very suitable for indoor- and outdoor use.</p>
<div>CAST IRON</div> <div></div>	<p>Royal Botania uses a cast iron alloy with a small percentage of copper and chrome. This prevents any layer of oxidation created by contact with air and water from flaking off. The result is an even, rust-coloured patina that blends in perfectly with the natural surroundings.</p>
<div>GRANITE</div> <div></div>	<p>Royal Botania uses solid granite. Granite is one of the hardest types of stone in the world. The unusual pattern and structure of the stone gives every bollard its own special look and character. simply clean with water and natural soap.</p>

POLYETHYLENE PE, or Polyethylene, is a thermoplastic polymer consisting of long hydrocarbon chains which is very durable and ideal for outdoor use.



PVC COVERED FIBREGLASS The PVC covered fiber provides a solid core. This material requires a strong tensile and tear strengths, waterproofing, and heat and mildew resistance.








3D FABRIC Made of synthetic fibers with a spacer layer of polyester microfilaments, absorbs little water and dries very fast in open air.





CORIAN® Corian® is a ‘solid surface’ material made of mass-dyed composite material, they combine mass with homogeneity, yet without seams or joints. The basic ingredient of this product is aluminium trihy-drate (ATH). Other components are acrylic resins, which are used as a binder. Aluminium hy-droxide makes the material very sturdy and also more heat-resistant than other synthetic materials. 5 good reasons for choosing this material: 1. hard-wearing / 2. non-porous / 3. hygienic / 4. impact-resistant / 5. uV-resistant.



SYMBOLS




-  PROTECTED AGAINST OBJECTS > 1MM & PROTECTED AGAINST WATER SPRAYED AT MAX. ANGLE OF 60°
-  PROTECTED AGAINST OBJECTS > 1MM & WATER PROJECTIONS FROM ALL DIRECTIONS (360°)
-  PROTECTED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°)
-  TOTALLY SEALED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°)
-  TOTALLY SEALED AGAINST DUST & PROTECTED AGAINST PERMANENT IMMERSION

-  PROTECTIVE CATEGORY 1
-  PROTECTIVE CATEGORY 2
-  PROTECTIVE CATEGORY 3

ASK YOUR DEALER FOR THE COMPLETE
ROYAL BOTANIA 'OUTDOOR LUXURY' CATALOG




WWW.ROYALBOTANIA.COM





OUTDOOR LUXURY OUTDOOR LIGHTING



WWW.ROYALBOTANIA.COM



ALL RIGHTS RESERVED ROYAL BOTANIA N.V. • + 32 3 411 22 85 • WWW.ROYALBOTANIA.COM